

TECHNICAL SPECIFICATIONS



Stage

42' wide x 21' deep. Crossover at stage level.
Sprung stage floor. Working load limit 100lbs/sq.ft.
Motorized grand drapes – Red Velour fabric
Upstage traveler – Black Diablo fabric

Audio

Console	Allen and Heath Avantis
Stage Box	Allen and Heath DX168 x2
Processor	Allen and Heath AHM32
Mains	EM Acoustics R12 x2
Centre	EM Acoustics R12 and R8
Fills	EM Acoustics EMS-81X x2
Lip Fills	EM Acoustics EMS-51X x3
Subwoofer	EM Acoustics S218 dual 18"
Booth Mon	EM Acoustics EMS-51X x3
Stage Mon	EV ZLX-12P x6
Stage Mon	EV ETX-12P x2
Overhead Mon	EAW KF300e x2
Microphone	Shure QLXD4 wireless x6
Microphone	DPA 2028 wireless capsules x2
Microphone	DPA 4088 wireless headset
Microphone	Thor Hammer SE-9 wireless headset x2
Microphone	Shure WL185 wireless lavalier x4

Microphone	DPA 4099 x7
Microphone	DPA 4055
Microphone	Neumann KMS 104
Microphone	AKG c214 x2
Microphone	Audix ADX51
Microphone	Shure SM58 x4
Microphone	Shure Beta 58a x4
Microphone	Sennheiser E604 x4
Microphone	Sennheiser E609
DI Box	Radial JDI Duplex Stereo
DI Box	Radial Pro AV Stereo
DI Box	Radial Pro DI x4
DI Box	BSS AR-133 Active x2

Lighting

Console	Avolites T3 with T3 Wing
Fixture	ETC Source 4 LED Series 3 x13
Fixture	ETC Desire Fresnel x10
Fixture	Chauvet R3X Wash x14
Fixture	Ayrton Diablo Profile x8
Fixture	Astera AX9 Wireless x8
Fixture	Elation Satura Profile x2
Fixture	JB Lighting A7 x4
Atmospherics	Ultratec Radiance

Projection

Projector	Epson L1505U Laser 12,000 lumens
Screen	Upstage: 220" Motorized 16:9
Screen	Downstage: 275" Motorized 16:9

Video

Switcher	Blackmagic ATEM TVS HD
Encoder	Blackmagic Web Presenter 4K
Recorder	Blackmagic Hyperdeck 4K
Camera	Panasonic AG-UX180 x2
Camera	PTZ Optics 30x-SDI

Other

Instrument	Yamaha C5 Grand Piano (<i>available for rent</i>)
Accessibility	Assistive Listening System (<i>ask technician for assistance</i>)
Comms	Clear-com system - stage left, stage right, booth, dressing rooms
Risers	Eight 4'x4' stage decks at 8" or 16" height